


Canada Stock Guide

SPRING 2021



AcuityBrands 

Including: Lithonia Lighting®, Juno®, SensorSwitch™ and nLight®



Canada Stock Guide

Table of Contents

	Residential Downlighting	3-8
	Undercabinet	9
	Commercial Downlighting	10-13
	Track Systems	14-15
	Decorative Residential	16
	Troffers	17
	Wraps	18
	Standalone Controls	19-20
	nLight® Wired	21-23
	nLight AIR	24-25
	Commercial Outdoor	26-28
	Industrial	29-31
	Panels	32-33
	Strips	34-35
	Vapour Tights	36
	Life Safety	37

Juno® Residential Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	4JBK RD 30K 90CRI MW M6	*259WW7	191723138627	GEN5 CANLESS KIT 4" BAFFLE, ROUND, 3000K, 90CRI, MATTE WHITE	
	4JBK RD 30K 90CRI MW M6	*259WW7	191723138627	GEN5 CANLESS KIT 4» BAFFLE, ROUND, 3000K, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF3 LED 30K MW M6	*236VG1	889804672763	3" WAFER-THIN LED DOWNLIGHT, LED, 3000K, MATTE WHITE	
	WF3 LED 40K MW M6	*236VG4	889804672794	3" WAFER-THIN LED DOWNLIGHT, LED, 4000K, MATTE WHITE	
	WF3 PAN R12	*245JMJ	190887488463	3" WAFER-THIN LED DOWNLIGHT, PAN	
	WF3GR MW JZ	*268FWA	194994529217	3" WAFER ROUND GOOF RING, MATTE WHITE, JOB PACK, NO QUANTITY	
	WF4E LED 30K 90CRI MW M6	*267KYC	194994316787	4" LED ECONOMY WAFER, LED, 3000K, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF4 SWW5 90CRI MB M6	*2678SR	194994243595	4" WAFER-THIN LED DOWNLIGHT, 90CRI, MATTE BLACK, MASTER PACK OF 6	
	WF4 SWW5 90CRI MW M6	*2678S7	194994243465	4" WAFER-THIN LED DOWNLIGHT, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF4 REG SWW5 90CRI MW M6	*266XH7	194994158523	4" WAFER-THIN LED DOWNLIGHT, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF4 ADJ LED 30K40K50K 90CRI MW M6	*254HLA	193047544955	4" WAFER-THIN LED DOWNLIGHT, ADJUSTABLE, ROUND, LED, SWITCHABLE WHITE, 90CRI, MATTE WHITE	
	WF4 LED 27K30K35K 90CRI MW M6	*264T2L	191848253403	4" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90CRI, MATTE WHITE	
	WF4 LED 30K40K50K 90CRI BN M6	*264T3G	191848253854	4" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90CRI, BRUSHED NICKEL	
	WF4 LED 30K40K50K 90CRI MB M6	*264T2X	191848253564	4" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90CRI, MATTE BLACK	
	WF4 LED 30K40K50K 90CRI MW M6	*264T2W	191848253557	4" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90CRI, MATTE WHITE	
	WF4 LED 30K40K50K 90CRI ORB M6	*264T3E	191848253830	4» WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90CRI, OIL-RUBBED BRONZE FINISH (TRACK), MASTER PACK OF 6	
	WF4 SQ B LED 30K40K50K 90CRI MW M6	*264TY0	191848267356	4» WAFER-THIN LED DOWNLIGHT, SQUARE, BAFFLE, LED, SWITCHABLE WHITE, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF4 PAN R12	*245JMM	190887488494	4" WAFER-THIN LED DOWNLIGHT, PAN	
	WF4GR MW JZ	*268FWE	194994529187	4" WAFER ROUND GOOF RING, MATTE WHITE, JOB PACK, NO QUANTITY	

Juno® Residential Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	WF6 SWW5 90CRI MB M6	*2678TF	194994243809	6" WAFER-THIN LED DOWNLIGHT, 5CCT SWITCHABLE (27K, 30K, 35K, 40K, 50K), 90+ CRI, MATTE BLACK, MASTER PACK OF 6	
	WF6 SWW5 90CRI MW M6	*2678T5	194994243731	6" WAFER-THIN LED DOWNLIGHT, 5CCT SWITCHABLE (27K, 30K, 35K, 40K, 50K), 90+ CRI, MATTE WHITE, MASTER PACK OF 6	
	WF4 REG SWW5 90CRI MW M6	*266XH7	194994158523	4" WAFER-THIN LED DOWNLIGHT, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF6 REG SWW5 90CRI MW M6	*266XHN	194994158660	6" WAFER-THIN LED DOWNLIGHT, RE-GRESSED, 5CCT SWITCHABLE (27K, 30K, 35K, 40K, 50K), 90+ CRI, MATTE WHITE, MASTER PACK OF 6	
	WF6 LED 27K30K35K 90CRI MW M6	*264T3H	191848253861	6" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90 CRI, MATTE WHITE	
	WF6 LED 30K40K50K 90CRI MW M6	*264T3R	191848253946	6" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90 CRI, MATTE WHITE	
	WF6 LED 30K40K50K 90CRI MB M6	*264T3T	191848253953	6" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90CRI, MATTE BLACK, MASTER PACK OF 6	
	WF6 LED 30K40K50K 90CRI MW M6	*264T3R	191848253946	6" WAFER-THIN LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF6 LL LED 27K30K35K 90CRI MW M6	*264T4L	191848254301	6" WAFER-THIN LED DOWNLIGHT, LOW LUMEN, LED, SWITCHABLE WHITE, 90CRI, MATTE WHITE, MASTER PACK OF 6	
	WF6 PAN R12	*245JNL	190887488913	6" WAFER-THIN LED DOWNLIGHT, PAN	
	WF6GR MW JZ	*268FWG	194994529231	6" WAFER ROUND GOOF RING, MATTE WHITE, JOB PACK, NO QUANTITY	
	WF8 LED 30K40K50K 90CRI MW M6	*264T5F	191848254653	8" WAFER™ LED DOWNLIGHT, LED, SWITCHABLE WHITE, 90 CRI, MATTE WHITE	
	WF8643 PAN U	*264W3R	191848296028	WAFER UNIVERSAL MOUNTING PAN, PAN	
	WF8GR MW JZ	*269CG5	194994756064	8" WAFER ROUND GOOF RING, MATTE WHITE, JOB PACK, NO QUANTITY	


Juno® Residential Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	4BEMW SWW5 90CRI M6	*266XR2	194994160519	4" BAFFLE LED MODULE, MATTE WHITE, 90CRI, MASTER PACK OF 6	
	4BEMW LED 30K 90CRI M6	*240W3A	190887266702	4" BAFFLE LED MODULE, MATTE WHITE, LED, 3000 K , 90 CRI	
	4BEMW LED 40K 90CRI M6	*240W3G	190887266733	4" BAFFLE LED MODULE, MATTE WHITE, LED, 4000 K , 90 CRI	
	65BEMW HL LED 30K 90CRI M6	*2568VA	193047859394	5" /6" BAFFLE LED MODULE, MATTE WHITE, HIGH LUMEN, LED, 3000K, 90CRI, MASTER PACK OF 6	
	65BEMW SWW5 90CRI M6	*266XRC	194994160564	5" /6" BAFFLE LED MODULE, MATTE WHITE, 90CRI, MASTER PACK OF 6	
	65BEMW LED 30K 90CRI M6	*240W33	190887266634	5" /6" BAFFLE LED MODULE, MATTE WHITE, LED, 3000 K , 90 CRI	
	65BEMW LED 40K 90CRI M6	*240W39	190887266696	5" /6" BAFFLE LED MODULE, MATTE WHITE, LED, 4000 K , 90 CRI	
	4G2MW MR16 R6	*228TJV	888791528244	4" MATTE WHITE GIMBAL, MR16 (50 W MAX)	
	4G2MW PAR20 R6	*233NMA	889804171181	4" MATTE WHITE GIMBAL, PAR20	
	4RLD G4 06LM 30K 90CRI 120 FRPC WWH M6	*269WXK	194994892472	4" JUNO RETROFIT ADJUSTABLE, GENERATION 4, 600 NOMINAL LM, 3000K, 90+ CRI, 120V, FORWARD/REVERSE PHASE CUT, WHITE, WHITE TRIM RING, MASTER PACK OF 6	
	4RLS G2 07LM 30K 90CRI 120 FRPC WH M6	*251P68	190887658989	4" JUNO BASICS SURFACE MOUNT, GENERATION 2, 700 NOMINAL LUMENS, 3000K, 90+ CRI, 120V, FORWARD/REVERSE PHASE CUT, WHITE	
	6RLD G3 07LM 30K 90CRI 120 FRPC WWH M6	*251P5N	190887658828	6" JUNO BASICS RETROFIT DOWNLIGHTS, GENERATION 3, 700 NOMINAL LUMENS, 3000K, 90+ CRI, 120V, FORWARD/REVERSE PHASE CUT, WHITE, WHITE TRIM RING	
	6RLS G2 07LM 30K 90CRI 120 FRPC WH M6	*251P6J	190887659061	6" BASIC SERIES LED SURFACE MOUNT FIXTURE, GENERATION 2, 700 NOMINAL LUMENS, 3000K, 90+ CRI, 120V, FORWARD/REVERSE PHASE CUT, WHITE	
	L3 GSKT R6	*228G9C	888791458145	4" AIR-TIGHT, IC/NON-IC HOUSING, FOAM GASKETING; AIDS IN AIR-TIGHT INSTALLATION	
	L3 R6	*122H7U	745973345313	4" AIR-TIGHT, IC/NON-IC HOUSING	
	L3LED T24 R6	*220YTE	820476364419	4" LED NEW CONSTRUCTION HOUSING, TITLE 24	
	L3R R6	*122H7W	745973345566	4" AIR-TIGHT, IC/NON-IC REMODEL HOUSING	
	3B1W R24	*161RKP	745975234264	4" WHITE BAFFLE TRIM	

Juno® Residential Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	L5 GSKT R6	*228G9J	888791458183	5" AIR-TIGHT, IC/NON-IC HOUSING, FOAM GASKETING; AIDS IN AIR-TIGHT INSTALLATION	
	L5 R6	*122H7N	745973345160	5" AIR-TIGHT, IC/NON-IC HOUSING	
	L5LED T24 R6	*220YRW	820476364273	5" LED NEW CONSTRUCTION HOUSING, TITLE 24	
	L7X R6	*122H7E	784231091906	6" AIR-TIGHT, IC/NON-IC HOUSING, RESALE PACK OF 6	
	IC1LED G4 09LM 30K 90CRI 120 FRPC	*244E3X	661209460028	4" LED IC NEW CONSTRUCTION DOWNLIGHT, GENERATION 4, 900 NOMINAL LUMEN, 3000K, 90+ CRI, 120V, FORWARD/REVERSE PHASE CUT	
	JPDZ4 DC ALO10 SWW5WD 90CRI 120 FRPC WWH M6	*271E2	194995205622	JUNO PODZ 4" LED DOWNLIGHTS, DOWNLIGHT CONE TRIM, ADJUSTABLE LUMEN OUTPUT 700L, 1000L, AND 1200L, SWITCHABLE WHITE 2700K, 3000K, 3500K, 4000K, 5000K + WARM DIM (2850), 90+ CRI, 120V, FORWARD/REVERSE PHASE CUT, WHITE, WHITE TRIM RING, MASTER PACK OF 6	
	JPDZ4RDNCMF 120 FRPC U	*268T5L	194994614975	JUNO PODZ 4" ROUND NEW CONSTRUCTION MOUNTING FRAME, 120V, FORWARD/REVERSE PHASE CUT, UNIT PACK	
	JPDZRMJBX 120 FRPC U	*268SFG	194994609117	JUNO PODZ UNIVERSAL REMODEL JUNCTION BOX (FOR 4", 5", 6"), 120V, FORWARD/REVERSE PHASE CUT, UNIT PACK	
	2LEDDRIVER G2 06LM 120 FRPC	*243TWA	661209585103	JUNO RECESSED 2" DRIVER, GENERATION 2, 600 NOMINAL LUMENS, 120V, FORWARD/REVERSE PHASE CUT	
	2LEDDRIVER G2 10LM 120 FRPC	*243TW8	661209585127	JUNO RECESSED 2" DRIVER, GENERATION 2, 1000 NOMINAL LUMENS, 120V, FORWARD/REVERSE PHASE CUT	
	2LEDDRIVER G2 10LM MVOLT ZT	*243TW9	661209585134	JUNO RECESSED 2" DRIVER, GENERATION 2, 1000 NOMINAL LUMENS, MULTI-VOLT, 0-10V DIMMING DRIVER	
	2LEDTRIM G2 ADJ 27K 90CRI FL BL	*243TWV	661209586346	JUNO RECESSED 2" LED TRIM, GENERATION 2, ADJUSTABLE TRIM, 2700K, 90+ CRI, FLOOD, BLACK	
	2LEDTRIM G2 ADJ 27K 90CRI NFL BL	*251WMJ	661209586308	JUNO RECESSED 2" LED TRIM, GENERATION 2, ADJUSTABLE TRIM, 2700K, 90+ CRI, NARROW FLOOD, BLACK	
	2NCMF	*241Y5R	661209390509	NEW CONSTRUCTION MOUNTING FRAME	
	IC1	*241PM1	661209700001	4" INCANDESCENT NEW CONSTRUCTION IC HOUSING	
	IC1 LEDT24	*239A00	661209421494	4" INCANDESCENT NEW CONSTRUCTION IC HOUSING, 4" QUICK CONNECT HOUSING	
	TC1	*245ACA	661209700193	4" INCANDESCENT NEW CONSTRUCTION NON-IC HOUSING	
	TC1R	*245AG1	661209017987	4" INCANDESCENT REMODEL NON-IC HOUSING	

Juno® Residential Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	10 WH	*241TMC	661209079053	4" ADJUSTABLE FLUSH GIMBAL RING TRIM, WHITE	
	14 WWH	*241Y4F	661209950321	4" DOWNLIGHT BAFFLE TRIM, WHITE, WHITE TRIM RING	
	17 CWH	*241Y4V	661209700148	4" DOWNLIGHT CONE TRIM, CLEAR ALZAK, WHITE TRIM RING	
	440 WH	*243V01	661209020543	4" ADJUSTABLE FLUSH GIMBAL RING TRIM, WHITE	
	V4010 WH	*245GL3	661209210753	4" LINE VOLTAGE GIMBAL RING TRIMS, WHITE	
	V4IC W	*245GLR	661209272058	VULITE 4" IC NEW CONSTRUCTION, PUSH-IN ELECTRICAL CONNECTORS	
	V4TC W	*240A1G	661209272010	VULITE 4" NON-IC NEW CONSTRUCTION, PUSH-IN ELECTRICAL CONNECTORS	
	V4TCR W	*240A1F	661209272027	VULITE 4" NON-IC REMODEL, PUSH-IN ELECTRICAL CONNECTORS	
	V4034 WWH	*245GLA	661209210739	4" LINE VOLTAGE BAFFLE TRIMS, WHITE, WHITE TRIM RING	
	IC20R	*240A1K	661209952714	5" INCANDESCENT REMODEL IC HOUSING	
	IC22	*250AB2	661209700216	6" INCANDESCENT NEW CONSTRUCTION IC HOUSING	
	TC2CN	*239A13	661209015211	6" INCANDESCENT NEW CONSTRUCTION NON-IC HSG CANADA ONLY	
	TC2R	*240A20	661209017970	6" INCANDESCENT REMODEL NON-IC HSG	
	24 WWH	*243RY Y	661209950215	6" DOWNLIGHT TAPERED BAFFLE TRIM, WHITE, WHITE TRIM RING	
	26 CWH	*243T1N	661209060013	6" DOWNLIGHT STRAIGHT CONE TRIM, CLEAR ALZAK, WHITE TRIM RING	
	V6IC W	*245GMM	661209257345	VULITE 6" IC NEW CONSTRUCTION HSG, PUSH-IN ELECTRICAL CONNECTORS	
	SMPLT4	*244TE4	661209073105	4" SMASH PLATE	
	VB6	*245GN3	661209098153	VAPOUR BARRIER HOUSING THROUGH 6"	



Juno® Residential Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	JSF 5IN 07LM 35K 90CRI MVOLT ZT WH M6	*259ENE	191723064964	JUNO SLIMFORM SURFACE MOUNT DOWNLIGHTS - ROUND, 5", 700 NOMINAL LUMENS, 3500K, 90+ CRI, MULTI-VOLT, 0-10V DIMMING DRIVER, WHITE, MASTER PACK OF 6	
	JSF 7IN 10LM 30K 90CRI MVOLT ZT WH M6	*259ENX	191723065114	JUNO SLIMFORM SURFACE MOUNT DOWNLIGHTS - ROUND, 7", 1000 NOMINAL LUMENS, 3000K, 90+ CRI, MULTI-VOLT, 0-10V DIMMING DRIVER, WHITE, MASTER PACK OF 6	
	JSF 7IN 10LM 35K 90CRI MVOLT ZT WH M6	*259ENY	191723065121	JUNO SLIMFORM SURFACE MOUNT DOWNLIGHTS - ROUND, 7", 1000 NOMINAL LUMENS, 3500K, 90+ CRI, MULTI-VOLT, 0-10V DIMMING DRIVER, WHITE, MASTER PACK OF 6	
	JSF 11IN 13LM 30K 90CRI 120 FRPC WH M6	*259EPA	191723065237	JUNO SLIMFORM SURFACE MOUNT DOWNLIGHTS - ROUND, 11", 1300 NOMINAL LUMENS, 3000K, 90+ CRI, 120V, FORWARD/REVERSE PHASE CUT, WHITE, MASTER PACK OF 6	
	JSFTRIM 7IN SN M12	*261MNF	191723494891	JUNO SLIMFORM ACCESSORY TRIM - ROUND, 7", SATIN NICKEL, MASTER PACK OF 12	



Juno® Undercabinet

Product	Part Number	CI Code	UPC	Description	Contractor Select
	UCD JB M12	*143PPT	745974384847	UNDERCABINET JUNCTION BOX, JUNCTION BOX FOR LED UNDERCAB FIXTURES, MASTER PACK OF 12	
	UCEL 48IN 30K 90CRI SWR WH M6	*236JYF	889804600315	ECONOMY LED UNDERCABINET, 4' NOMINAL, 3000K, WHITE ROCKER SWITCH, WHITE FINISH, MASTER PACK OF 6	
	UCES 12IN SWWW 90CRI WH M6	*2568TL	193047858922	ECONOMY LED UNDERCABINET WITH SWITCHABLE WHITE, 12", 3000K, 3500K, & 4000K, 90CRI, WHITE, MASTER PACK OF 6	
	UCES 18IN SWWW 90CRI WH M6	*2568TP	193047858953	ECONOMY LED UNDERCABINET WITH SWITCHABLE WHITE, 18", 3000K, 3500K, & 4000K, 90CRI, WHITE, MASTER PACK OF 6	
	UCES 24IN SWWW 90CRI WH M6	*2568TR	193047858960	ECONOMY LED UNDERCABINET WITH SWITCHABLE WHITE, 24", 3000K, 3500K, & 4000K, 90CRI, WHITE, MASTER PACK OF 6	
	UCES 36IN SWWW 90CRI WH M6	*2568TS	193047858977	ECONOMY LED UNDERCABINET WITH SWITCHABLE WHITE, 36", 3000K, 3500K, & 4000K, 90CRI, WHITE, MASTER PACK OF 6	

Juno® Commercial Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	LO4AR LD TRIM	*239R3R	745972691398	LDN4 OPEN CLEAR TRIM, MATTE-DIFFUSE FINISH, TRIM	
	LO4AR LSS TRIM	*239R3N	745972691343	LDN4 OPEN CLEAR TRIM, SEMI-SPECULAR, TRIM	CS
	LO4AR TRW LSS TRIM	*240KKR	190887177466	LDN4 OPEN CLEAR TRIM, WHITE FLANGE, SEMI-SPECULAR, TRIM	
	LO6AR LD TRIM	*240J60	190887157000	LDN6 OPEN CLEAR SEMI-SPECULAR TRIM, MATTE-DIFFUSE FINISH, TRIM	
	LO6AR LS TRIM	*240J61	190887157017	LDN6 OPEN CLEAR SEMI-SPECULAR TRIM, SPECULAR FINISH, TRIM	
	LO6AR LSS TRIM	*239R45	745972691619	LDN6 OPEN CLEAR SEMI-SPECULAR TRIM, SEMI-SPECULAR, TRIM	CS
	LO6AR TRW LS TRIM	*240LFH	190887189940	LDN6 OPEN CLEAR SEMI-SPECULAR TRIM, WHITE FLANGE, SPECULAR FINISH, TRIM	
	LO6AR TRW LSS TRIM	*240GV7	190887144048	LDN6 OPEN CLEAR SEMI-SPECULAR TRIM, WHITE FLANGE, SEMI-SPECULAR, TRIM	
	LO6WR TRIM	*240J64	190887157048	LDN6 OPEN WHITE TRIM, TRIM	
	EVO4 AR LSS TRIM U	*2638JW	193048642834	4" ROUND DOWNLIGHT, SEMI-SPECULAR, TRIM	
	EVO4 AR LSS TRW TRIM U	*2638TK	193048645026	4" ROUND DOWNLIGHT, SEMI-SPECULAR, WHITE FLANGE, TRIM	
	EVO4WW AR LSS TRW TRIM U	*2638MN	193048643626	4" WALLWASH, CLEAR, SEMI-SPECULAR, WHITE FLANGE, TRIM, UNIT PACK	
	EVO6 40/10 MD MVOLT GZ1 HSG	*264YS1	193048772517	6" ROUND DOWNLIGHT, 4000K, 1000 LM, MEDIUM DISTRIBUTION, MVOLT, GENERIC DRIVER 0-10V, 1% DIM LEVEL, HOUSING	
	EVO6 AR LS TRW TRIM U	*2638U2	193048645200	6" ROUND DOWNLIGHT, CLEAR, SPECULAR, WHITE FLANGE, TRIM, UNIT PACK	
	EVO6 AR LSS TRIM U	*2638UL	193048645392	6" ROUND DOWNLIGHT, SEMI-SPECULAR, TRIM	

Lithonia Lighting® Commercial Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	LBR SDT 347V 75W ASM	*268XER	194994650706	347 STEP DOWN TRANSFORMER	
	LBR4 ALO2 SWW1 AR LSS MWD MVOLT UGZ ELR	*269MNR	194994823759	4" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, EMERGENCY BATTERY PACK, REMOTE TEST SWITCH	
	LBR4 ALO2 SWW1 AR LSS MWD MVOLT UGZ QDS	*269MKU	194994822912	4" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, QUICK DISCONNECT PLUGS	
	LBR4 ALO2 SWW1 AR TRW LSS MWD MVOLT UGZ	*270889	194994971634	4" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	
	LBR4 ALO2 SWW1 AR TRW LSS MWD MVOLT UGZ WL	*269X9C	194994895411	4" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, WET LOCATION	
	LBR4 ALO3 SWW1 AR TRW LSS MWD MVOLT UGZ	*2708V0	194994976325	4" RETROFIT, ADJUSTABLE LUMEN OUTPUT 2000/2500/3000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	
	LBR4AR LSS TRIM	*268JX1	194994555155	SPARE TRIM 4 CLEAR, SEMI-SPECULAR, TRIM	
	LBR4PF	*269L84	194994812180	PLASTER FRAME W/JBOX (INCLUDES COVERS)	
	LBR4PFWQDS	*269L00	194994809937	PLASTER FRAME W/JBOX AND WHIP-QDS OPTION	
	LBR4SQPFW	*269LAA	194994812722	SQUARE PLASTER FRAME W/JBOX AND 18" WHIP	
	LBR6 ALO2 SWW1 AR LSS MWD MVOLT UGZ ELR	*269MXE	194994825807	6" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, EMERGENCY BATTERY PACK, REMOTE TEST SWITCH	
	LBR6 ALO2 SWW1 AR LSS MWD MVOLT UGZ QDS	*269MUS	194994825081	6" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, QUICK DISCONNECT PLUGS	
	LBR6 ALO2 SWW1 AR TRW LSS MWD MVOLT UGZ	*27088M	194994971726	6" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	
	LBR6 ALO2 SWW1 AR TRW LSS MWD MVOLT UGZ WL	*270RC9	194995086412	6" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, WET LOCATION	

Lithonia Lighting® Commercial Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	LBR6 ALO3 SWW1 AR TRW LSS MWD MVOLT UGZ	*2706EL	194994956945	6" RETROFIT, ADJUSTABLE LUMEN OUTPUT 2000/2500/3000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	
	LBR6AR LSS TRIM	*268KV5	194994563013	SPARE TRIM 6 CLEAR, SEMI-SPECULAR, TRIM	
	LBR6PF	*269L8A	194994812227	PLASTER FRAME W/JBOX (INCLUDES COVERS)	
	LBR6PFWQDS	*269L03	194994809951	PLASTER FRAME W/JBOX AND WHIP-QDS OPTION	
	LBR6SQPF	*269L8E	194994812258	SQUARE PLASTER FRAME W/JBOX (INCLUDES COVERS)	
	LBR6SQPFW	*269LAT	194994812845	SQUARE PLASTER FRAME W/JBOX AND 18" WHIP	
	LBR8 ALO2 SWW1 AR LSS MWD MVOLT UGZ ELR	*269N6P	194994828006	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, EMERGENCY BATTERY PACK, REMOTE TEST SWITCH	
	LBR8 ALO2 SWW1 AR LSS MWD MVOLT UGZ QDS	*269N5N	194994827757	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, QUICK DISCONNECT PLUGS	CS
	LBR8 ALO2 SWW1 AR TRW LSS MWD MVOLT UGZ	*270ME9	194995062119	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	
	LBR8 ALO2 SWW1 AR TRW LSS MWD MVOLT UGZ WL	*270CYH	194995001163	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, WET LOCATION	
	LBR8 ALO3 SWW1 AR TRW LSS MWD MVOLT UGZ	*270AYL	194994993070	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 2000/2500/3000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	
	LBR8AR LSS TRIM	*268L5F	194994565628	SPARE TRIM 8 CLEAR, SEMI-SPECULAR, TRIM	
	LBR8PF	*269L8L	194994812296	PLASTER FRAME W/JBOX (INCLUDES COVERS)	
	LBR8PFWQDS	*269L08	194994810001	PLASTER FRAME W/JBOX AND WHIP-QDS OPTION	

Lithonia Lighting® Commercial Downlighting

Product	Part Number	CI Code	UPC	Description	Contractor Select
	LBRGR56 WR J10	*268U43	194994622758	GOOF RING 5-3/4" TO 6-3/4", WHITE PAINTED, JOB PACK OF 10	
	LBRGR56 WR U	*268U42	194994622741	GOOF RING 5-3/4" TO 6-3/4", WHITE PAINTED, UNIT PACK	
	LBRGR78 WR J10	*268U49	194994622819	GOOF RING 7-3/4" TO 8-3/4", WHITE PAINTED, JOB PACK OF 10	
	LBRGR78 WR U	*268U48	194994622802	GOOF RING 7-3/4" TO 8-3/4", WHITE PAINTED, UNIT PACK	
	LBRGR910 WR J10	*268U4H	194994622871	GOOF RING 9-3/4" TO 10-3/4", WHITE PAINTED, JOB PACK OF 10	
	LBRGR910 WR U	*268U4G	194994622864	GOOF RING 9-3/4" TO 10-3/4", WHITE PAINTED, UNIT PACK	
	LDN4 35/10 MVOLT GZ10 HSG	*2610Y5	193048378481	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, EMERGENCY BATTERY PACK, REMOTE TEST SWITCH	
	LDN4 ALO2 SWW1 MVOLT UGZ HSG	*269VK8	194994881117	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, QUICK DISCONNECT PLUGS	
	LDN4 ALO3 SWW1 MVOLT UGZ HSG	*269U16	194994868071	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	
	LDN6 ALO2 SWW1 MVOLT UGZ HSG	*269U7K	194994869917	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 1000/1500/2000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%, WET LOCATION	
	LDN6 ALO3 SWW1 MVOLT UGZ HSG	*269W2C	194994885160	8" RETROFIT, ADJUSTABLE LUMEN OUTPUT 2000/2500/3000LM, SWITCHABLE CCT 3000K-3500K-4000K-5000K, CLEAR, WHITE FLANGE, SEMI-SPECULAR, MEDIUM WIDE (1.0 S/MH), 120/277 V, UNIVERSAL DIMMING TO 1%	

Juno® Track Systems

Product	Part Number	CI Code	UPC	Description	Contractor Select
	R 8FT BL	*244P84	661209031778	TRAC-LITES TRAC SECTION, 1-CIRCUIT, 8 FT NOMINAL LENGTH, BLACK	
	R 8FT WH	*244P88	661209031785	TRAC-LITES TRAC SECTION, 1-CIRCUIT, 8 FT NOMINAL LENGTH, WHITE	
	R23 WH	*244NU9	661209031105	TRAC-LITES MINIATURE STRAIGHT CONNECTOR, 1-CIRCUIT, WHITE	
	R38 BL	*244NW5	661209035103	TRAC-LITES END FEED CONNECTOR, 1-CIRCUIT, BLACK	
	R38 WH	*244NWE	661209035134	TRAC-LITES END FEED CONNECTOR, 1-CIRCUIT, WHITE	
	R600L G2 30K 80CRI PDIM FL BL	*244P52	661209612007	TRAC-LITES ECONOMY CONE LED FIXTURE, GENERATION 2, 3000K, 80CRI, PHASE DIMMABLE, FLOOD, BLACK	
	R605L 27K 80CRI PDIM WFL BL	*259H2U	661209663382	TRAC-LITES 10W LED, 2700K, 80 CRI, PHASE DIMMABLE, WIDE FLOOD, BLACK	
	R605L 30K 80CRI PDIM FL BL	*259H93	661209663900	TRAC-LITES 10W LED, 3000K, 80 CRI, PHASE DIMMABLE, FLOOD, BLACK	
	T 12FT BL	*244WPV	661209005335	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 12 FT NOMINAL LENGTH, BLACK	
	T 12FT WH	*244WPY	661209001184	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 12 FT NOMINAL LENGTH, WHITE	
	T 4FT BL	*244YLX	661209001078	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 4 FT NOMINAL LENGTH, BLACK	
	T 4FT WH	*244YM1	661209001061	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 4 FT NOMINAL LENGTH, WHITE	
	T 6FT BL	*245A0M	661209003379	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 6 FT NOMINAL LENGTH, BLACK	
	T 6FT WH	*245A0T	661209003362	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 6 FT NOMINAL LENGTH, WHITE	
	T 8FT BL	*245A5Y	661209001139	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 8 FT NOMINAL LENGTH, BLACK	
	T 8FT WH	*245A75	661209001122	TRAC-MASTER TRAC SECTIONS, 1-CIRCUIT, 8 FT NOMINAL LENGTH, WHITE	
	T23 BL	*244WWC	661209002051	TRAC-MASTER MINI STRAIGHT CONNECTOR, 1-CIRCUIT, BLACK	
	T23 WH	*244WWF	661209002044	TRAC-MASTER MINI STRAIGHT CONNECTOR, 1-CIRCUIT, WHITE	



Juno® Track Systems

Product	Part Number	CI Code	UPC	Description	Contractor Select
	T24F BL	*244WWJ	661209014573	TRAC-MASTER ADJUSTABLE CONNECTOR, 1-CIRCUIT - CANADA ONLY, BLACK	
	T24F WH	*244WWL	661209014580	TRAC-MASTER ADJUSTABLE CONNECTOR, 1-CIRCUIT - CANADA ONLY, WHITE	
	T28 WH	*244Y7H	661209422842	TRAC-MASTER TRAC DEAD END, 1-CIRCUIT, WHITE	
	T24N BL	*244WWH	661209002075	TRAC-MASTER ADJUSTABLE CONNECTOR, 1-CIRCUIT, BLACK	
	T29 BL	*244Y82	661209002150	TRAC-MASTER ELECTRICAL FLOATING FEED, 1-CIRCUIT, BLACK	
	T29 WH	*244Y84	661209002167	TRAC-MASTER ELECTRICAL FLOATING FEED, 1-CIRCUIT, WHITE	
	T38 BL	*244YEN	661209000637	TRAC-MASTER END FEED CONNECTOR, 1-CIRCUIT, BLACK	
	T38 WH	*244YEV	661209002310	TRAC-MASTER END FEED CONNECTOR, 1-CIRCUIT, WHITE	
	T690 BL	*245A09	661209033871	TRAC-MASTER FRONT LAMPING GIMBAL PAR38, BLACK	
	T690 WH	*245A0E	661209033901	TRAC-MASTER FRONT LAMPING GIMBAL PAR38, WHITE	
	T691 BL	*245A0G	661209033918	TRAC-MASTER MINI SWIVEL UNIVERSAL PAR LAMP HOLDER, BLACK	
	T691 WH	*245A0J	661209034960	TRAC-MASTER MINI SWIVEL UNIVERSAL PAR LAMP HOLDER, WHITE	

Juno® Decorative Residential

Product	Part Number	CI Code	UPC	Description	Contractor Select
	FMLRL 11 14840 M4	*216CM8	753573687405	LOW PROFILE ROUND LED FLUSH MOUNT, 80 CRI, 4000K	
	FMLRL 14 20830 M4	*224R0H	820476883118	LOW PROFILE ROUND LED FLUSH MOUNT, 80 CRI, 3000K	
	FMLRL 14 20840 M4	*216CMA	753573687412	LOW PROFILE ROUND LED FLUSH MOUNT, 80 CRI, 4000K	
	FMMCL 18 840 PIR M4	*231JH5	888791964974	CLOSET LIGHT, 4000K	
	FMMCL 840 PIR M4	*231U35	745971128925	CLOSET LIGHT, 4000K	
	FMML 13 830	*228AYT	888791432961	VERSI LITE LED FLUSH MOUNT, 3000K	
	FMML 13 840	*228AYP	888791432954	VERSI LITE LED FLUSH MOUNT, 4000K	
	FMML 7 830 M6	*219TY2	820476182860	VERSI LITE LED FLUSH MOUNT, 3000K	
	FMML 7 840 M6	*215TTY	753573647355	VERSI LITE LED FLUSH MOUNT, 4000K	
	FMML 7 840 WL M6	*224PR4	820476881145	VERSI LITE LED FLUSH MOUNT, 4000K, WET LOCATION LISTING	
	FMSATL 16 20840 BN M4	*219N8C	820476154324	SATURN LED FLUSH/SEMI-FLUSH MOUNT, 80CRI, 4000K, BRUSHED NICKEL, MASTER PACK OF 4	

Lithonia Lighting® Troffers

Product	Part Number	CI Code	UPC	Description	Contractor Select
	2BLT2 33L ADP LP835	*245P87	190887529708	BASKET LED LENSED TROFFER 2X2, NOMINAL 3300 LUMENS, ACRYLIC DIFFUSER, LINEAR PRISMATIC LENS, 80+ CRI, 3500K	
	2BLT2 33L ADP LP840	*245P88	190887529739	BASKET LED LENSED TROFFER 2X2, NOMINAL 3300 LUMENS, ACRYLIC DIFFUSER, LINEAR PRISMATIC LENS, 80+ CRI, 4000K	
	2BLT4 40L ADP LP835	*243P2M	190887470789	BASKET LED LENSED TROFFER 2X4, NOMINAL 4000 LM, ACRYLIC DIFFUSER, LINEAR PRISMATIC LENS, 80+ CRI, 3500K	
	2BLT4 40L ADP LP840	*243P2K	190887470765	BASKET LED LENSED TROFFER 2X4, NOMINAL 4000 LUMENS, ACRYLIC DIFFUSER, LINEAR PRISMATIC LENS, 80+ CRI, 4000K	
	2BLT4 46L ADP LP840	*243NUT	190887468649	BASKET LED LENSED TROFFER 2X4, NOMINAL 4600 LUMENS, ACRYLIC DIFFUSER, LINEAR PRISMATIC LENS, 80+ CRI, 4000K	
	2GTL4 4400LM LP840	*237C2A	889804706956	2X4 LED RECESSED TROFFER, NOMINAL 4400 LUMENS, 80+ CRI, 4000K	
	BLC 2X2 4000LM 40K ADSM	*2606M1	193048323382	CENTRE BASKET TROFFER, NOMINAL 4000 LUMENS, 4000K, CURVED, SMOOTH	
	BLC 2X4 4000LM 35K	*2515TH	191848536575	CENTRE BASKET TROFFER, 2X4, NOMINAL 4000 LM, 3500K	
	BLC 2X4 4000LM 35K ADSM	*2606M6	193048323443	CENTRE BASKET TROFFER, 2X4, NOMINAL 4000 LM, 3500K, CURVED, SMOOTH	
	BLC 2X4 4000LM 40K	*2515TJ	191848536629	CENTRE BASKET TROFFER, 2X4, NOMINAL 4000 LM, 4000K	
	BLC 2X4 5000LM 40K	*2515TN	191848536599	CENTRE BASKET TROFFER, NOMINAL 5000 LUMENS, 4000K	
	GT4 MV CSA	*173V2P	745975422173	RECESSED GENERAL PURPOSE TROFFER, MULTI-VOLT, MEETS CANADIAN STANDARDS	
	DGA14	*497791	784231089293	DRY-WALL GRID ADAPTOR, 1X4	
	DGA22	*497790	784231093818	DRY-WALL GRID ADAPTOR, 2X2	
	DGA24	*484328	784231089217	DRY-WALL GRID ADAPTOR, 2X4	

Lithonia Lighting® Wraps

Product	Part Number	CI Code	UPC	Description	Contractor Select
	FMLWL 24 840	*226LWP	888791197921	WRAPAROUND, 24 INCHES, 85 CRI, 4000K	
	FMLWL 48 840	*226LWW	888791197969	WRAPAROUND, 48 INCHES, 85 CRI, 4000K	
	FMLWL 48 840 ZT MVOLT	*250LVM	191848384558	WRAPAROUND, 48 INCHES, 85 CRI, 4000K, 0-10V, MVOLT, 120-277V	
	LBL4 LP835	*254RJY	190887819199	SURFACE WRAPAROUND, LED, 4FT, 80+ CRI, 3500K	
	LBL4 LP840	*254RKH	190887819359	SURFACE WRAPAROUND, LED, 4FT, 80+ CRI, 4000K	
	RB232 MV	*183L2M	745975747092	NARROW BASKET WRAP, MULTI-VOLT	
	SB232 MV	*153TXJ	745975083633	SQUARE-BASKET WRAP, MULTI-VOLT	
	SBL4 LP840	*254RKU	190887819434	4' LED WRAP, 80+ CRI, 4000K	

SensorSwitch™ Standalone Controls

Product	Part Number	CI Code	UPC	Description	Contractor Select
	CM 9	*184CGW	745975808304	CEILING MOUNT SENSOR, SMALL MOTION / STANDARD RANGE 360° LENS	
	CM PDT 10	*184CGY	745975808243	CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, LARGE MOTION / EXTENDED RANGE 360° LENS	
	CM PDT 9	*184CGX	745975808229	CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, SMALL MOTION / STANDARD RANGE 360° LENS	
	CM PDT 9 R	*184EYE	745975860463	CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, SMALL MOTION/STANDARD RANGE 360° LENS, ISOLATED LOW VOLTAGE RELAY	
	CMR 10	*184CH0	745975808250	CEILING MOUNT SENSOR, LARGE MOTION / EXTENDED RANGE 360° LENS	
	CMR 9	*184CH2	745975808281	CEILING MOUNT SENSOR, SMALL MOTION / STANDARD RANGE 360° LENS	
	CMR PDT 10	*184CHC	745975809530	CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, LARGE MOTION / EXTENDED RANGE 360° LENS	
	CMR PDT 9	*184CHA	745975809448	CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, SMALL MOTION / STANDARD RANGE 360° LENS	
	CMR PDT 9 347	*184FFL	745975864744	CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, SMALL MOTION / STANDARD RANGE 360° LENS, 347 VAC	
	LSXR 610	*219EJ9	820476095115	FIXTURE MOUNT INTERCHANGEABLE LENS SENSOR, HIGH BAY 360° LENS & LARGE MOTION / EXTENDED RANGE 360° LENS	
	PP16X EFP 347	*2584WN	193048068306	POWER PACK ZERO CROSS, EXTERNAL FAULT PROTECTION, 347 VAC	
	PP20	*184CHH	745975809592	POWER PACK	
	SPODMRD WH	*235YC9	889804540314	WALL SWITCH DIMMER, WHITE	
	SPODMRA JOT DX IV	*269XVG	194994900252	AESTHETIC DIMMING SWITCH-POD, JUST ONE TOUCH, RAISE/LOWER DIMMING WITHOUT WIRES, IVORY	
	SPODMRA JOT DX WH	*267TUJ	194994374176	AESTHETIC DIMMING SWITCH-POD, JUST ONE TOUCH, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	SPODMRA MWO D WH	*269HG6	194994788584	AESTHETIC DIMMING SWITCH-POD, MULTI-WAY OPTION, DIMMING, WHITE	
	SPODMRD WH	*235YC9	889804540314	WALL SWITCH DIMMER, WHITE	
	WPD WH	*2675LV	194994217374	WALL PHASE DIMMER, WHITE	

SensorSwitch™ Standalone Controls

Product	Part Number	CI Code	UPC	Description	Contractor Select
	WSX 347 WH	*219UX4	820476190605	WALL SWITCH SENSOR, 347 VAC, WHITE	
	WSX PDT 2P WH	*216RF0	753573767473	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, 2-POLE , WHITE	
	WSX PDT 347 WH	*219UXC	820476190667	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, 347 VAC, WHITE	
	WSX PDT D WH	*235YAJ	889804540079	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, OCCUPANCY CONTROLLED DIMMING, WHITE	
	WSX PDT SA WH	*219V0M	820476191268	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, VACANCY (DEFAULT) OR AUTO-ON , WHITE	
	WSX PDT WH	*216RF3	753573767510	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, WHITE	
	WSX WH	*216RF4	753573767527	WALL SWITCH SENSOR, WHITE	
	WSXA MWO D WH	*2682G9	194994436850	WALL SWITCH SENSOR, MULTI-WAY OPTION, DIMMING, WHITE	
	WSXA MWO IV	*27041A	194994938071	WALL SWITCH SENSOR, MULTI-WAY OPTION, IVORY	
	WSXA MWO PDT D WH	*2682H0	194994436997	WALL SWITCH SENSOR, MULTI-WAY OPTION, PASSIVE DUAL TECHNOLOGY, DIMMING, WHITE	
	WSXA MWO PDT WH	*2685RN	194994463078	WALL SWITCH SENSOR, MULTI-WAY OPTION, PASSIVE DUAL TECHNOLOGY, WHITE	
	WSXA MWO WH	*2685RL	194994463030	WALL SWITCH SENSOR, MULTI-WAY OPTION, WHITE	
	WSXA PDT WH	*268UH8	194994625827	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, WHITE	
	WSXA WH	*268UHA	194994625902	WALL SWITCH SENSOR, WHITE	

nLight® Wired Controls

Product	Part Number	CI Code	UPC	Description	Contractor Select
	NAR40	*184PF9	745975890576	AUXILIARY RELAY: 40 VAC/VDC	
	NBRG 8 KIT	*205LLN	784231075357	NLIGHT BRIDGE, KIT	
	NCM 10 RJB	*229Y2N	888791703092	LOW VOLTAGE CEILING MOUNT SENSOR, LARGE MOTION / EXTENDED RANGE 360° LENS, REAR RJ-45 PORTS	
	NCM 6 RJB	*230CET	888791720778	LOW VOLTAGE CEILING MOUNT SENSOR, HIGH BAY 360° LENS, REAR RJ-45 PORTS	
	NCM 9 RJB	*229Y2P	888791703108	LOW VOLTAGE CEILING MOUNT SENSOR, SMALL MOTION/STANDARD RANGE 360° LENS, REAR RJ-45 PORTS	
	NCM ADCX RJB	*230CEY	888791720822	LOW VOLTAGE CEILING MOUNT SENSOR, PHOTOCONTROL W/ AUTO DIMMING; NO WIRES, REAR RJ-45 PORTS	
	NCM PDT 10 RJB	*230CEP	888791720754	LOW VOLTAGE CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, LARGE MOTION / EXTENDED RANGE 360° LENS, REAR RJ-45 PORTS	
	NCM PDT 9 RJB	*230CER	888791720761	LOW VOLTAGE CEILING MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, SMALL MOTION / STANDARD RANGE 360° LENS, REAR RJ-45 PORTS	
	NCOMKIT	*184P2C	745975901357	NLIGHT COMMISSIONING KIT	
	NECY 347 BAC ENC GFXK	*262G3M	191723633153	NLIGHT ECLYPSE, 347 VAC, BACNET, ENCLOSURE FOR NLIGHT ECLYPSE, NGWY2 GFX AND PS 150 POWER SUPPLY	
	NECY MVOLT BAC ENC GFXK	*262FN6	191723628791	NLIGHT ECLYPSE, 120-277 VAC, BACNET, ENCLOSURE FOR NLIGHT ECLYPSE, NGWY2 GFX AND PS 150 POWER SUPPLY	
	NECYD EXT150	*268NEC	194994334644	ADAPTER, 150', USB TO CAT6 EXTENDER FOR THE NLIGHT AIR ADAPTER (NECYD NLTAIR G2), INCLUDES 120VAC POWER ADAPTER AND CAT6 TO USB CONVERTERS	
	NIO PC KIT	*207C07	784231386002	NLIGHT DEVICE, ON/OFF PHOTOCELL, KIT	
	NPOD GFX WH	*200YCG	745977225239	LOW VOLTAGE WALLPOD, GRAPHIC TOUCHSCREEN, WHITE	
	NPOD TOUCH WH	*265R4E	193048165432	LOW VOLTAGE WALLPOD, TOUCHSCREEN WALL CONTROL, WHITE	
	NPODM 1SB WH	*208YUK	784231655900	LOW VOLTAGE PUSH-BUTTON WALLPOD, WHITE	
	NPODM 2P DX WH	*204WJW	745977911958	LOW VOLTAGE PUSH-BUTTON WALLPOD, 2-POLE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NPODM 4P DX WH	*207C25	784231386606	LOW VOLTAGE PUSH-BUTTON WALLPOD, FOUR POLE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NPODM DX WH	*204V9V	745977903502	LOW VOLTAGE PUSH-BUTTON WALLPOD, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NPODM WH	*204V9P	745977901355	LOW VOLTAGE PUSH-BUTTON WALLPOD, WHITE	

nLight® Wired Controls

Product	Part Number	CI Code	UPC	Description	Contractor Select
	NPODMA 2P DX WH	*2592TX	193048167962	NLIGHT WIRED AESTHETIC WALLPOD, 2-POLE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NPODMA 4P DX WH	*2617WE	193048435306	NLIGHT WIRED AESTHETIC WALLPOD, FOUR POLE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NPODMA 4S DX WH	*25920N	193048162134	NLIGHT WIRED AESTHETIC WALLPOD, 4 SCENE CONTROL, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NPODMA DX WH	*2592TS	193048167894	NLIGHT WIRED AESTHETIC WALLPOD, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NPODMA WH	*2617W7	193048435290	NLIGHT WIRED AESTHETIC WALLPOD, WHITE	
	NPP16 D EFP	*265LYJ	193047356800	POWER/RELAY PACK, OCCUPANCY CONTROLLED DIMMING, EXTERNAL FAULT PROTECTION	
	NPP16 D EFP 347	*265M3J	193047394475	POWER/RELAY PACK, OCCUPANCY CONTROLLED DIMMING, EXTERNAL FAULT PROTECTION, 347 VAC	
	NPP16 D EFP PA 347	*265MNC	193047495875	POWER/RELAY PACK, DIMMING, EXTERNAL FAULT PROTECTION, PARTIAL ON, 347 VAC	
	NPP16 D EFP SA	*265LYN	193047358095	POWER/RELAY PACK, OCCUPANCY CONTROLLED DIMMING, EXTERNAL FAULT PROTECTION, VACANCY (DEFAULT) OR AUTO-ON	
	NPP16 D ER EFP	*265LYK	193047356824	POWER/RELAY PACK, OCCUPANCY CONTROLLED DIMMING, UL924 EMERGENCY OPERATION, EXTERNAL FAULT PROTECTION	
	NPP16 D ER EFP 347	*265M3M	193047394581	POWER/RELAY PACK, OCCUPANCY CONTROLLED DIMMING, UL924 EMERGENCY OPERATION, EXTERNAL FAULT PROTECTION, 347 VAC	
	NPP16 D ER EFP 347 LT	*255F8L	193047751834	POWER/RELAY PACK, DIMMING, UL924 EMERGENCY OPERATION, EXTERNAL FAULT PROTECTION, 347 VAC, LOW TEMPERATURE / HIGH HUMIDITY	
	NPP16 EFP	*265LYP	193047358101	POWER/RELAY PACK, EXTERNAL FAULT PROTECTION	
	NPP16 EFP 347	*265M3K	193047394543	POWER/RELAY PACK, EXTERNAL FAULT PROTECTION, 347 VAC	
	NPP16 EFP SA	*265M2W	193047390781	POWER/RELAY PACK, EXTERNAL FAULT PROTECTION, VACANCY (DEFAULT) OR AUTO-ON	

nLight® Wired Controls

Product	Part Number	CI Code	UPC	Description	Contractor Select
	NPS 80	*200YCH	745977225307	POWER SUPPLY, 80 MA	
	NPS 80 347	*212PJR	753573183822	POWER SUPPLY, 80 MA, 347 VAC	
	NSHADE	*213H9U	753573281269	PULSE ON/OFF SHADE INTERFACE PACK	
	NSP5 PCD ELV 120	*213JFM	753573289197	SECONDARY RELAY PACK, PHASE CONTROL DIMMING, ELECTRONIC LOW VOLTAGE, 120 VAC	
	NWSX PDT LV DX WH	*218HT3	753573973911	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, LOW VOLTAGE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NWSX PDT LV WH	*217XMC	753573920397	WALL SWITCH SENSOR, PASSIVE DUAL TECHNOLOGY, LOW VOLTAGE, WHITE	
	NWSXA PDT LV DX WH	*267X37	194994401629	AESTHETIC WALL SWITCH OCCUPANCY SENSOR, PASSIVE DUAL TECHNOLOGY, LOW VOLTAGE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE	
	NWSXA PDT LV WH	*268L9A	194994566748	AESTHETIC WALL SWITCH OCCUPANCY SENSOR, PASSIVE DUAL TECHNOLOGY, LOW VOLTAGE, WHITE	
	NWV PDT 16 KIT	*220TR1	820476326455	LOW VOLTAGE CORNER MOUNT SENSOR, PASSIVE DUAL TECHNOLOGY, 16, KIT	
	PS50X	*261C4G	191723406009	50W POWER SUPPLY	

nLight® AIR Controls

Product	Part Number	CI Code	UPC	Description	Contractor Select
	NECYD NLTAIR G2	*263L26	191723907728	ADAPTER, NLIGHT AIR, GENERATION TWO	
	PCDM	*264TPS	193048769654	PHASE CONTROL DIMMING MODULE	
	RCMS PDT 9 G2	*262P7A	191723710809	NETWORKED NLIGHT AIR OCCUPANCY AND DAYLIGHT SENSOR, PASSIVE DUAL TECHNOLOGY, SMALL MOTION / STANDARD RANGE 360° LENS, GENERATION TWO	
	RCMSB 7 G2	*265XJ6	193048890396	CEILING MOUNT BATTERY POWERED SENSOR, MINI-LOW BAY 360° LENS, GENERATION TWO	
	RCMSB 7 PIR G2 SKP	*265XJN	193048890525	CEILING MOUNT BATTERY POWERED SENSOR, MINI-LOW BAY 360° LENS, PASSIVE INFRARED, GENERATION TWO, STOCKING PROGRAM-CA	
	RPODB 2P DX WH G2	*263JC6	191723887587	NETWORKED WIRELESS, BATTERY POWERED WALL SWITCH FOR NLIGHT AIR, 2-POLE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE, GENERATION TWO	
	RPODB DX WH G2	*263JE6	191723887921	NETWORKED WIRELESS, BATTERY POWERED WALL SWITCH FOR NLIGHT AIR, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE, GENERATION TWO	
	RPODB WH G2	*263JEF	191723888058	NETWORKED WIRELESS, BATTERY POWERED WALL SWITCH FOR NLIGHT AIR, WHITE, GENERATION TWO	
	RPODBA 2P DX WH G2	*25927M	193048163438	NLIGHT PRESET WALL CONTROL, 2-POLE, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE, GENERATION TWO	
	RPODBA 4S DX WH G2	*26293S	193048547870	NLIGHT PRESET WALL CONTROL, 4 SCENE CONTROL, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE, GENERATION TWO	
	RPODBA DX WH G2	*2592TU	193048167931	NLIGHT PRESET WALL CONTROL, RAISE/LOWER DIMMING WITHOUT WIRES, WHITE, GENERATION TWO	
	RPODBA WH G2	*26192E	193048445107	NLIGHT PRESET WALL CONTROL, WHITE, GENERATION TWO	
	RPODLA DX MVOLT WH G2	*2674KX	194994208815	AESTHETIC LINE POWERED WALL SWITCH, RAISE/LOWER DIMMING WITHOUT WIRES, 120-277 VAC, WHITE, GENERATION TWO	

nLight® AIR Controls

Product	Part Number	CI Code	UPC	Description	Contractor Select
	RPP20 D 24V EFP G2	*2583J5	193048057485	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, DIMMING, 24 VOLT OUTPUT, EXTERNAL FAULT PROTECTION, GENERATION TWO	
	RPP20 D 24V EFP UVOLT G2	*2592NS	193048166897	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, DIMMING, 24 VOLT OUTPUT, EXTERNAL FAULT PROTECTION, 120-480VAC, GENERATION TWO	
	RPP20 D 24V EM EFP UVOLT G2	*2592NK	193048166866	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, DIMMING, 24 VOLT OUTPUT, EMERGENCY OPERATION, EXTERNAL FAULT PROTECTION, 120-480VAC, GENERATION TWO	
	RPP20 D EFP G2	*2583HK	193048057300	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, DIMMING, EXTERNAL FAULT PROTECTION, GENERATION TWO	
	RPP20 D 24V EFP G2	*2583J5	193048057485	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, OCCUPANCY CONTROLLED DIMMING, 24 VOLT OUTPUT, EXTERNAL FAULT PROTECTION, GENERATION TWO	
	RPP20 D 24V EM EFP G2	*2583K2	193048057751	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, OCCUPANCY CONTROLLED DIMMING, 24 VOLT OUTPUT, EMERGENCY OPERATION, EXTERNAL FAULT PROTECTION, GENERATION TWO	
	RPP20 D 24V ER EFP G2	*2583KF	193048057850	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, OCCUPANCY CONTROLLED DIMMING, 24 VOLT OUTPUT, UL924 EMERGENCY OPERATION, EXTERNAL FAULT PROTECTION, GENERATION TWO	
	RPP20 D EFP UVOLT G2	*2593A0	193048171327	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, OCCUPANCY CONTROLLED DIMMING, EXTERNAL FAULT PROTECTION, 120-480VAC, GENERATION TWO	
	RPP20 DS 24V EFP G2	*2583J6	193048057508	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, DIMMING SIDE OUTPUT, 24 VOLT OUTPUT, EXTERNAL FAULT PROTECTION, GENERATION TWO	
	RPP20 DS 24V EFP UVOLT G2	*2592RP	193048167382	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, DIMMING SIDE OUTPUT, 24 VOLT OUTPUT, EXTERNAL FAULT PROTECTION, 120-480VAC, GENERATION TWO	
	RPP20 DS 24V ER EFP UVOLT G2	*2592VS	193048168464	NLIGHT AIR POWER/RELAY PACK, NETWORKED VERSION, DIMMING SIDE OUTPUT, 24 VOLT OUTPUT, UL924 EMERGENCY OPERATION, EXTERNAL FAULT PROTECTION, 120-480VAC, GENERATION TWO	
	RPP8 D EFP G2 SKP	*266MJ2	194994082729	RPP8, OCCUPANCY CONTROLLED DIMMING, EXTERNAL FAULT PROTECTION, GENERATION TWO, STOCKING PROGRAM-CA	
	RSBOR 6 WH G2	*262SNY	193048568257	NLIGHT AIR BOX MOUNT OUTDOOR, HIGH BAY 360° LENS, WHITE, GENERATION TWO	

Lithonia Lighting® Commercial Outdoor

Product	Part Number	CI Code	UPC	Description	Contractor Select
	BGR LED P1 40K MVOLT PER DNA M2	*2679X3	194994252542	BARNGUARD LED BARN LIGHT, LED, PACKAGE 1, 4000K, 120-277V, NEMA TWIST-LOCK RECEPTACLE ONLY, NATURAL ALUMINUM FINISH, MASTER PACK OF 2	
	BGR LED P2 40K MVOLT PER DNA M2	*2679X4	194994252559	BARNGUARD LED BARN LIGHT, LED, PACKAGE 2, 4000K, 120-277V, NEMA TWIST-LOCK RECEPTACLE ONLY, NATURAL ALUMINUM FINISH, MASTER PACK OF 2	
	ESX1 LED P2 40K R3 MVOLT UPA BLS DDBXD M2	*269PG3	194994838302	LED AREA LIGHT, LED, PACKAGE 2, 4000K, IES TYPE III ASYMMETRIC, 120-277V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESX1 LED P2 50K R3 MVOLT UPA BLS DDBXD M2	*269PGY	194994838555	LED AREA LIGHT, LED, PACKAGE 2, 5000K, IES TYPE III ASYMMETRIC, 120-277V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESX1 LED P4 40K R3 HVOLT UPA BLS DDBXD M2	*269PGC	194994838364	LED AREA LIGHT, LED, PACKAGE 4, 4000K, IES TYPE III ASYMMETRIC, 347-480V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESX1 LED P4 40K R3 MVOLT UPA BLS DDBXD M2	*269PG8	194994838340	LED AREA LIGHT, LED, PACKAGE 4, 4000K, IES TYPE III ASYMMETRIC, 120-277V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESX1 LED P4 40K R5 HVOLT UPA BLS DDBXD M2	*269PGN	194994838463	LED AREA LIGHT, LED, PACKAGE 4, 4000K, TYPE V DISTRIBUTION, 347-480V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESX1 LED P4 40K R5 MVOLT UPA BLS DDBXD M2	*269PGG	194994838418	LED AREA LIGHT, LED, PACKAGE 4, 4000K, TYPE V DISTRIBUTION, 120-277V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESX1 LED P4 50K R3 MVOLT UPA BLS DDBXD M2	*269PH1	194994838531	LED AREA LIGHT, LED, PACKAGE 4, 5000K, IES TYPE III ASYMMETRIC, 120-277V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESX1 LED P4 50K R5 MVOLT UPA BLS DDBXD M2	*269PH2	194994838548	LED AREA LIGHT, LED, PACKAGE 4, 5000K, TYPE V DISTRIBUTION, 120-277V, ROUND AND SQUARE POLE MOUNTING, BI-LEVEL SWITCHING, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	ESXWBA DDBXD U	*270S5T	194995092826	ESX WBA WALL BRACKET, DARK BRONZE, DARK BRONZE FINISH, SUPER DURABLE, UNIT PACK	
	RSX1 LED P4 50K R3 HVOLT RPA NLTAIR2 PIRHN DDBXD	*270CAN	194994995906	RSX AREA SIZE 1, LED, PACKAGE 4, 5000K, IES TYPE III ASYMMETRIC, 347-480V, ROUND POLE MOUNTING, NLIGHT AIR GEN 2 CONTROLLER, MOTION/AMBIENT SENSOR 15-30' - NETWORKED, DARK BRONZE FINISH, SUPER DURABLE	
	RSX2 LED P3 40K R3 MVOLT SPA DDBXD	*25453V	193047477291	RSX AREA SIZE 2, LED, PACKAGE 3, 4000K, IES TYPE III ASYMMETRIC, 120-277V, SQUARE POLE MOUNTING, DARK BRONZE FINISH, SUPER DURABLE	

Lithonia Lighting® Commercial Outdoor

Product	Part Number	CI Code	UPC	Description	Contractor Select
	CNY LED P1 40K MVOLT DDB M4	*249XPY	191848093320	CNY, LED, PACKAGE 1, 4000K, 120-277V, DARK BRONZE FINISH	
	CNY LED P2 40K MVOLT DDB M4	*249XR1	191848093344	CNY, LED, PACKAGE 2, 4000K, 120-277V, DARK BRONZE FINISH	
	OLF 2RH 40K 120 MO DDB M6	*2527HF	191848797938	LED MOTION SECURITY FLOODLIGHT, 2 ROUND HEADS, 4000K, 120V, MOTION ACTIVATION SENSOR, DARK BRONZE FINISH	
	OLF 2RH 40K 120 MO WH M6	*220R61	820476314636	LED MOTION SECURITY FLOODLIGHT, 2 ROUND HEADS, 4000K, 120V, MOTION ACTIVATION SENSOR, WHITE	
	OLLWD LED P1 40K MVOLT DDB M6	*240TGH	190887242584	LED WALL CYLINDER LIGHT, DOWNLIGHT, LED, PACKAGE 1, 4000K, 120-277V, DARK BRONZE FINISH	
	OLLWU LED P1 40K MVOLT DDB M6	*240HEW	190887149715	LED WALL CYLINDER LIGHT, UP AND DOWN LIGHT, LED, PACKAGE 1, 4000K, 120-277V, DARK BRONZE FINISH	
	OLVTWM M6	*211RM6	753573237457	LED VAPOUR TIGHT WALL MOUNT, MASTER PACK OF 6	
	OMA M6	*136XUY	745973700907	OEM ARM, MASTER PACK OF 6	
	OWWP LED 40K 120 PE DDB M4	*237Y2W	889804851090	DEC RESI FLOODLIGHTS, LED, 4000K, 120V, PHOTOCELL, BUTTONTYPE, DARK BRONZE FINISH, MASTER PACK OF 4	
	QTE LED P2 40K 120 THK DDB M2	*2683TV	191848093436	QTE, LED, PACKAGE 2, 4000K, 120V, KNUCKLE MOUNTING, DARK BRONZE FINISH	
	QTE LED P3 40K 120 THK DDB M6	*249XNS	191848092590	QTE, LED, PACKAGE 3, 4000K, 120V, KNUCKLE MOUNTING, DARK BRONZE FINISH	
	QTE LED P3 40K 120 YK DDB M6	*249XNR	191848092606	QTE, LED, PACKAGE 3, 4000K, 120V, YOKE/TRUNNION MOUNT, DARK BRONZE FINISH	
	TFX1 LED 40K MVOLT THK DDBXD M6	*2552M5	193047670173	OUTDOOR LED FLOODLIGHTS, LED, 4000K, 120-277V, KNUCKLE MOUNTING, DARK BRONZE FINISH, SUPER DURABLE	
	TFX1 LED 40K MVOLT YK DDBXD M6	*2552M6	193047670180	OUTDOOR LED FLOODLIGHTS, LED, 4000K, 120-277V, YOKE/TRUNNION MOUNT, DARK BRONZE FINISH, SUPER DURABLE	
	TFX2 LED 40K MVOLT IS DDBXD	*2552MC	193047670241	OUTDOOR LED FLOODLIGHTS, LED, 4000K, 120-277V, INTEGRAL SLIPFITTER, DARK BRONZE FINISH, SUPER DURABLE	
	TFX2 LED 40K MVOLT YK DDBXD	*2552ME	193047670234	OUTDOOR LED FLOODLIGHTS, LED, 4000K, 120-277V, YOKE/TRUNNION MOUNT, DARK BRONZE FINISH, SUPER DURABLE	
	TFX3 LED 40K MVOLT IS DDBXD	*2552MF	193047670265	OUTDOOR LED FLOODLIGHT, LED, 4000K, 120-277V, INTEGRAL SLIPFITTER, DARK BRONZE FINISH, SUPER DURABLE	
	TFX4 LED 40K HVOLT YK DDBXD	*2552MS	193047670340	OUTDOOR LED FLOODLIGHT, LED, 4000K, 347-480V, YOKE/TRUNNION MOUNT, DARK BRONZE FINISH, SUPER DURABLE	
	TFX4 LED 50K MVOLT YK DDBXD	*25826X	193048047561	OUTDOOR LED FLOODLIGHT, LED, 5000K, 120-277V, YOKE/TRUNNION MOUNT, DARK BRONZE FINISH, SUPER DURABLE	
	RSXF4 LED P8 40K WFL MVOLT IS DDBXD	*2663WG	193048934106	RSXF FLOOD SIZE 4, LED, PACKAGE 8, 4000K, WIDE FLOOD DISTRIBUTION, 120-277V, INTEGRAL SLIPFITTER, DARK BRONZE FINISH, SUPER DURABLE	

Lithonia Lighting® Commercial Outdoor

Product	Part Number	CI Code	UPC	Description	Contractor Select
	TWX1 LED ALO 40K MVOLT DDBTXD	*268TUH	194994620464	TWX LED SIZE 1 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 4000K, 120-277V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX1 LED ALO 50K MVOLT DDBTXD	*268TUF	194994620457	TWX LED SIZE 1 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 5000K, 120-277V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX1 LED P2 40K MVOLT PE DDBTXD	*270J21	194995034444	TWX LED SIZE 1 WALLPACK, LED, PACKAGE 2, 4000K, 120-277V, PHOTOCELL, BUTTONTYPE, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX2 LED ALO 40K 347 DDBTXD	*268TUL	194994620471	TWX LED SIZE 2 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 4000K, 347V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX2 LED ALO 40K MVOLT DDBTXD	*268TUM	194994620488	TWX LED SIZE 2 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 4000K, 120-277V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX2 LED ALO 50K 347 DDBTXD	*268TUP	194994620570	TWX LED SIZE 2 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 5000K, 347V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX2 LED ALO 50K MVOLT DDBTXD	*268TUR	194994620495	TWX LED SIZE 2 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 5000K, 120-277V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX3 LED ALO 40K 347 DDBTXD	*268TUX	194994620426	TWX LED SIZE 3 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 4000K, 347V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX3 LED ALO 40K MVOLT DDBTXD	*268TUY	194994620594	TWX LED SIZE 3 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 4000K, 120-277V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX3 LED ALO 50K 347 DDBTXD	*268TV1	194994620532	TWX LED SIZE 3 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 5000K, 347V, TEXTURED DARK BRONZE, SUPER DURABLE	
	TWX3 LED ALO 50K MVOLT DDBTXD	*268TV2	194994620549	TWX LED SIZE 3 WALLPACK, LED, ADJUSTABLE LIGHT OUTPUT, 5000K, 120-277V, TEXTURED DARK BRONZE, SUPER DURABLE	
	WPX1 LED P2 40K MVOLT DDBXD M4	*265SWK	193048870589	LED WALL PACK, LED, PACKAGE 2, 4000K, 120-277V, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 4	
	WPX2 LED 40K 347 DDBXD	*267Y11	194994409465	LED WALL PACK, LED, 4000K, 347V, DARK BRONZE FINISH, SUPER DURABLE	
	WPX3 LED 40K 347 DDBXD	*267Y24	194994409793	LED WALL PACK, LED, 4000K, 347V, DARK BRONZE FINISH, SUPER DURABLE	
	WPX3 LED 50K MVOLT DDBXD M2	*265SXC	193048870824	LED WALL PACK, LED, 5000K, 120-277V, DARK BRONZE FINISH, SUPER DURABLE, MASTER PACK OF 2	
	WPX1 LED P2 50K MVOLT DDBXD M4	*265SWM	193048870572	LED WALL PACK, LED, PACKAGE 2, 5000K, 120-277V, DARK BRONZE FINISH, SUPER DURABLE	
	WPX2 LED 50K MVOLT DDBXD M2	*265SX6	193048870770	LED WALL PACK, LED, 5000K, 120-277V, DARK BRONZE FINISH, SUPER DURABLE	
	WPX3 LED 40K MVOLT DDBXD M2	*265SX9	193048870794	LED WALL PACK, LED, 4000K, 120-277V, DARK BRONZE FINISH, SUPER DURABLE	

Lithonia Lighting® Industrial

Product	Part Number	CI Code	UPC	Description	Contractor Select
	CPHB 12LM MVOLT 40K	*268SAH	194994608325	COMPACT PRO HIGH BAY, LED, 12,000 LM, 120V-277V, 4000K	
	CPHB 12LM MVOLT 50K	*2681J0	194994429548	COMPACT PRO HIGH BAY, LED, 12,000 LM, 120V-277V, 5000K	
	CPHB 15LM MVOLT 40K	*2681J2	194994429562	COMPACT PRO HIGH BAY, LED, 15,000 LM, 120V-277V, 4000K	
	CPHB 15LM MVOLT 50K	*2681J5	194994429593	COMPACT PRO HIGH BAY, LED, 15,000 LM, 120V-277V, 5000K	
	CPHB 18LM MVOLT 40K	*268SAJ	194994608295	COMPACT PRO HIGH BAY, LED, 18,000 LM, 120V-277V, 4000K	
	CPHB 18LM MVOLT 50K	*2681J9	194994429630	COMPACT PRO HIGH BAY, LED, 18,000 LM, 120V-277V, 5000K	
	CPHB 24LM MVOLT 40K	*2681JE	194994429685	COMPACT PRO HIGH BAY, LED, 24,000 LM, 120V-277V, 4000K	
	CPHB 24LM MVOLT 50K	*2681JL	194994429753	COMPACT PRO HIGH BAY, LED, 24,000 LM, 120V-277V, 5000K	
	CPHB 30LM MVOLT 40K	*2681JM	194994429746	COMPACT PRO HIGH BAY, LED, 30,000 LM, 120V-277V, 4000K	
	CPHB 30LM MVOLT 50K	*2681JP	194994429784	COMPACT PRO HIGH BAY, LED, 30,000 LM, 120V-277V, 5000K	
	IBE L24 18000LM ATC MD HVOLT GZ10 40K 80CRI DWH	*25280M	191848802762	LED ECONOMICAL LINEAR BAY LIGHT, 24" LONG, 18,000 NOMINAL LUMENS, ACRYLIC LENS, TEXTURED, CLEAR, MEDIUM, 347V-480V, GENERIC DRIVER 0-10V DIMMING, 4000K, 80 COLOR RENDERING INDEX, WHITE	
	IBE L24 22000LM ATC MD HVOLT GZ10 40K 80CRI DWH	*252FX3	193047049399	LED ECONOMICAL LINEAR BAY LIGHT, 24" LONG, 22,000 NOMINAL LUMENS, ACRYLIC LENS, TEXTURED, CLEAR, MEDIUM, 347V-480V, GENERIC DRIVER 0-10V DIMMING, 4000K, 80 COLOR RENDERING INDEX, WHITE	
	IBE L24 22000LM ATC MD MVOLT GZ10 40K 80CRI CS93W DWH	*2526HJ	191848789117	LED ECONOMICAL LINEAR BAY LIGHT, 24", 22,000 NOMINAL LUMENS, ACRYLIC LENS, TEXTURED, CLEAR, MEDIUM, 120V-277V, GENERIC DRIVER 0-10V DIMMING, 4000K, 80CRI, 6' 600V SO WHITE CORD, NO PLUG (NO VOLTAGE REQUIRED), WHITE	
	IBG 12L MVOLT	*266ASY	194994009313	I-BEAM IBG CONFIGURABLE LED HIGH BAY, 12,000 NOMINAL LUMENS, 120V-277V	
	IBG 18L HVOLT	*266AT7	194994009191	I-BEAM IBG CONFIGURABLE LED HIGH BAY, 18,000 NOMINAL LUMENS, 347V-480V	
	IBG 18L MVOLT	*266AT5	194994009078	I-BEAM IBG CONFIGURABLE LED HIGH BAY, 18,000 NOMINAL LUMENS, 120V-277V	

Lithonia Lighting® Industrial

Product	Part Number	CI Code	UPC	Description	Contractor Select
	JEBL 12L 40K 80CRI WH	*264JLH	191848153840	LED ECONOMICAL ROUND BAY LIGHT, 12,000 NOMINAL LUMENS, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 12L 50K 80CRI WH	*2501PN	191848153901	LED ECONOMICAL ROUND BAY LIGHT, 12,000 NOMINAL LUMENS, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 18L 40K 80CRI WH	*2501PP	191848153895	LED ECONOMICAL ROUND BAY LIGHT, 18,000 NOMINAL LUMENS, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 18L 50K 80CRI WH	*2501PR	191848153888	LED ECONOMICAL ROUND BAY LIGHT, 18,000 NOMINAL LUMENS, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 18L HVOLT 40K 80CRI WH	*252JF2	193047073745	LED ECONOMICAL ROUND BAY LIGHT, 18,000 NOMINAL LUMENS, 347V-480V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 18L HVOLT 50K 80CRI WH	*252JF4	193047073721	LED ECONOMICAL ROUND BAY LIGHT, 18,000 NOMINAL LUMENS, 347V-480V, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 24L 40K 80CRI WH	*2501PS	191848153918	LED ECONOMICAL ROUND BAY LIGHT, 24,000 NOMINAL LUMENS, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 24L 50K 80CRI WH	*2501PT	191848153956	LED ECONOMICAL ROUND BAY LIGHT, 24,000 NOMINAL LUMENS, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 24L HVOLT 40K 80CRI WH	*252JF5	193047073769	LED ECONOMICAL ROUND BAY LIGHT, 24,000 NOMINAL LUMENS, 347V-480V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 24L HVOLT 50K 80CRI WH	*252JF6	193047073783	LED ECONOMICAL ROUND BAY LIGHT, 24,000 NOMINAL LUMENS, 347V-480V, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 30L 40K 80CRI WH	*2501PU	191848153925	LED ECONOMICAL ROUND BAY LIGHT, 30,000 NOMINAL LUMENS, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 30L 50K 80CRI WH	*2501PV	191848153932	LED ECONOMICAL ROUND BAY LIGHT, 30,000 NOMINAL LUMENS, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 30L HVOLT 40K 80CRI WH	*252JF8	193047073806	LED ECONOMICAL ROUND BAY LIGHT, 30,000 NOMINAL LUMENS, 347V-480V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	JEBL 30L HVOLT 50K 80CRI WH	*252JFA	193047073837	LED ECONOMICAL ROUND BAY LIGHT, 30,000 NOMINAL LUMENS, 347V-480V, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	



Lithonia Lighting® Industrial




Product	Part Number	CI Code	UPC	Description	Contractor Select
	JEBLDALR2 M4	*2501R1	191848154021	JEBL DIFFUSE ALUMINIUM REFLECTOR	
	JEBLPCLR1 M4	*2501PX	191848153970	JEBL CLEAR POLYCARBONATE REFLECTOR	
	JEBLPCLR2 M4	*2501R0	191848153987	JEBL CLEAR POLYCARBONATE REFLECTOR	
	JEBLWBK M6	*254HX2	193047547642	WIRING BOX KIT FOR JEBL	
	WGMS8Z	*882695	745980872840	WIRE GUARD FOR USE WITH MS8, ZINC COATED	
	HBBS36 M50	*207T9A	784231487792	HEAVY DUTY V HOOK WITH 36" CHAIN	
	HKM U	*593958	784231037270	FIXTURE HOOK MALE	
	IBAC120 M100	*163AMF	745975244904	120" AIR CRAFT CABLE (ONE PAIR)	

Lithonia Lighting® Panels

Product	Part Number	CI Code	UPC	Description	Contractor Select
	CPANL 1X4 24/33/44LM 35K M4	*250EGS	191848338483	CPANL, SELECTABLE 2400LM, 3300LM, 4400LM, 3500K	
	CPANL 1X4 24/33/44LM 40K M4	*250EKS	191848338469	CPANL, SELECTABLE 2400LM, 3300LM, 4400LM, 4000K	
	CPANL 2X2 24/33/44LM 35K M4	*250E4S	191848338278	CPANL, SELECTABLE 2400LM, 3300LM, 4400LM, 3500K	
	CPANL 2X2 24/33/44LM 40K M4	*250E5S	191848338322	CPANL, SELECTABLE 2400LM, 3300LM, 4400LM, 4000K	
	CPANL 2X4 40/50/60LM 35K M2	*250CSL	191848338001	CPANL, SELECTABLE 4000LM, 5000LM, 6000LM, 3500K	
	CPANL 2X4 40/50/60LM 40K M2	*250CXS	191848338230	CPANL, SELECTABLE 4000LM, 5000LM, 6000LM, 4000K	
	CPX 1X4 ALO7 SWW7 M4	*268LG5	194994568063	LED FLAT PANEL, 1X4, LUMEN SWITCHING 2500/3200/4000, 35/40/50K SWITCHABLE WHITE, MASTER PACK OF 4	
	CPX 1X4 ALO7 SWW7 UVOLT M4	*268UH9	194994625926	LED FLAT PANEL, 1X4, LUMEN SWITCHING 2500/3200/4000, 35/40/50K SWITCHABLE WHITE, 120-347, MASTER PACK OF 4	
	CPX 2X2 3200LM 35K M4	*2628C0	191848338537	LED FLAT PANEL, NOMINAL 3200 LUMENS, 3500K	
	CPX 2X2 3200LM 40K M4	*2628E0	191848338650	LED FLAT PANEL, NOMINAL 3200 LUMENS, 4000K	
	CPX 2X2 3400LM 35K UVOLT M4	*265X4U	193048887136	LED FLAT PANEL, NOMINAL 3400 LUMENS, 3500K, 120-347	
	CPX 2X2 3400LM 40K UVOLT M4	*265X4V	193048887150	LED FLAT PANEL, NOMINAL 3400 LUMENS, 4000K, 120-347	
	CPX 2X2 ALO7 SWW7 M4	*2628H5	193048542806	LED FLAT PANEL, 2X2, LUMEN SWITCHING 2500/3200/4000, 35K/40K/50K SWITCHABLE WHITE, MASTER PACK OF 4	
	CPX 2X4 4000LM 35K M2	*2628FW	191848338490	LED FLAT PANEL, NOMINAL 4000 LUMENS, 3500K	
	CPX 2X4 4000LM 40K M2	*2628G1	191848338506	LED FLAT PANEL, NOMINAL 4000 LUMENS, 4000K	
	CPX 2X4 4300LM 35K UVOLT M2	*265X4X	193048887181	LED FLAT PANEL, NOMINAL 4300 LUMENS, 3500K, 120-347	
	CPX 2X4 4300LM 40K UVOLT M2	*265X51	193048887198	LED FLAT PANEL, 2X4, NOMINAL 4300LM, 4000K, 120-347, MASTER PACK OF 2	
	CPX 2X4 ALO8 SWW7 M2	*2628H6	193048542844	LED FLAT PANEL, 2X4, LUMEN SWITCHING 3500/4300/5500, 35/40/50K SWITCHABLE WHITE, MASTER PACK OF 2	



Lithonia Lighting® Panels

Product	Part Number	CI Code	UPC	Description	Contractor Select
	EPANL 14 40L 40K	*247U56	190887602753	LED FLAT PANEL, 1X4, NOMINAL 4000 LUMENS, 4000K	
	EPANL 22 34L 35K M4	*2604C5	193048290165	LED FLAT PANEL, 2X2, NOMINAL 3400 LUMENS, 3500K	
	EPANL 22 34L 40K M4	*257VSX	193048027761	LED FLAT PANEL, 2X2, NOMINAL 3400 LUMENS, 4000K	
	EPANL 24 40L 35K M2	*2604C6	193048290172	LED FLAT PANEL, 2X4, NOMINAL 4000 LUMENS, 3500K	
	EPANL 24 40L 40K M2	*257VWS	193048027822	LED FLAT PANEL, 2X4, NOMINAL 4000 LUMENS, 4000K	
	EPANL 2X4 4000LM 80CRI 35K MIN10 ZT 347	*2626EP	193048525663	LED FLAT PANEL, NOMINAL 4000 LUMENS, 80+ CRI, 3500K, CONSTANT CURRENT, DIMMING TO 10%, 0-10V, 347V	
	EPANL 2X4 4000LM 80CRI 40K MIN10 ZT 347	*2626R0	193048528404	LED FLAT PANEL, NOMINAL 4000 LUMENS, 80+ CRI, 4000K, CONSTANT CURRENT, DIMMING TO 10%, 0-10V, 347V	
	1X4SMKSH	*25126E	191848505786	1X4 FRAME KIT	
	2X2SMKSH	*25125G	191848505571	2X2 FRAME KIT	
	2X4SMKSH	*25125Y	191848505762	2X4 FRAME KIT	

Lithonia Lighting® Strips

Product	Part Number	CI Code	UPC	Description	Contractor Select
	C 2 32 347 GEB10IS BDP CSA	*137F5A	745973742969	GENERAL PURPOSE 1OR 2 LAMP STRIPLIGHT, TWO LAMPS, 32W T8 (48"), 347V, T8 ELECTRONIC BALLAST,	
	C232 MV	*153TWP	745975079711	GENERAL PURPOSE STRIP, 2 LAMP 32 WATT, 120V-277V	
	CDS L48 347 DM 40K 80CRI WH	*259P63	191723105766	LED CONTRACTOR DUAL STRIPLIGHT, 48" LONG, 347V, DIMMING, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	CDS L48 MVOLT DM 35K 80CRI WH	*254FTJ	190887798975	LED CONTRACTOR DUAL STRIPLIGHT, 48" LONG, 120V-277V, DIMMING, 3500K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	CDS L48 MVOLT DM 40K 80CRI WH	*254FT5	190887798876	LED CONTRACTOR DUAL STRIPLIGHT, 48" LONG, 120V-277V, DIMMING, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	CDS L48 MVOLT DM 50K 80CRI WH	*258WKE	191723036480	LED CONTRACTOR DUAL STRIPLIGHT, 48" LONG, 120V-277V, DIMMING, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	CDS L96 347 DM 40K 80CRI WH	*260KP3	191723193787	LED CONTRACTOR DUAL STRIPLIGHT, 96" LONG, 347V, DIMMING, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	CDS L96 MVOLT DM 40K 80CRI WH	*254FTF	190887798944	LED CONTRACTOR DUAL STRIPLIGHT, 96" LONG, 120V-277V, DIMMING, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	CDS L96 MVOLT DM 50K 80CRI WH	*258WKG	191723036497	LED CONTRACTOR DUAL STRIPLIGHT, 96" LONG, 120V-277V, DIMMING, 5000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	CLX L48 5000LM SEF FDL MVOLT GZ10 40K 80CRI WH	*2496Y0	191723525939	COMMERCIAL LINEAR STRIP, 48", 5,000 NOMINAL LUMENS, STANDARD EFFICIENCY, FLAT DIFFUSE LENS, 120V-277V, GENERIC DRIVER 0-10V DIMMING, 4000K, 80CRI, WHITE FINISH	
	CSS L48 4000LM MVOLT 40K 80CRI	*2659NP	193048852622	LED CONTRACTOR SINGLE STRIPLIGHT, 48" LONG, 4,000 NOMINAL LUMENS, 120V-277V, 4000K, 80 COLOR RENDERING INDEX	
	CSS L48 ALO3 347 SWW3 80CRI	*266MPV	194994084242	LED CONTRACTOR SINGLE STRIPLIGHT, 48" LONG, SWITCHABLE LUMENS - 3000LM, 4000LM AND 5000LM, 347V, SWITCHABLE WHITE - 35K, 40K AND 50K, 80 COLOR RENDERING INDEX	
	CSS L48 ALO3 MVOLT SWW3 80CRI	*2659NY	193048852677	LED CONTRACTOR SINGLE STRIPLIGHT, 48" LONG, SWITCHABLE LUMENS - 3000LM, 4000LM AND 5000LM, 120V-277V, SWITCHABLE WHITE - 35K, 40K AND 50K, 80 COLOR RENDERING INDEX	
	CSS L96 8000LM MVOLT 40K 80CRI	*2659P3	193048852721	LED CONTRACTOR SINGLE STRIPLIGHT, 96", 8,000 NOMINAL LUMENS, 120V-277V, 4000K, 80CRI	
	CSS L96 ALO4 347 SWW3 80CRI	*266MR4	194994084280	LED CONTRACTOR SINGLE STRIPLIGHT, 96" LONG, SWITCHABLE LUMENS - 6000LM, 8000LM AND 10000LM, 347V, SWITCHABLE WHITE - 35K, 40K AND 50K, 80 COLOR RENDERING INDEX	
	CSS L96 ALO4 MVOLT SWW3 80CRI	*2659P5	193048852738	LED CONTRACTOR SINGLE STRIPLIGHT, 96" LONG, SWITCHABLE LUMENS - 6000LM, 8000LM AND 10000LM, 120V-277V, SWITCHABLE WHITE - 35K, 40K AND 50K, 80 COLOR RENDERING INDEX	

Lithonia Lighting® Strips

Product	Part Number	CI Code	UPC	Description	Contractor Select
	DMW/EGW LATCH J10	*183LFV	745975750788	ENCLOSED AND GASKETED, LATCH, JOB PACK OF 10	
	HC36 M12	*408275	784231021828	CHAIN HANGER SET (36" LENGTH)	
	TC232 MV	*153TWT	745975080809	TANDEM GENERAL PURPOSE STRIP, 8', (4) F32T8 LAMPS, 120V, ONE INSTANT START ELECTRONIC BALLAST, 120V-277V	
	WGCUN NST	*144FN5	745974439240	WIRE GUARD FOR USE WITH C OR UN FIXTURE	
	WGZ48	*180CHJ	745975629633	WIRE GUARD FOR USE WITH Z SERIES 48"	
	ZACVH M100	*209F4T	784231684313	MASTER PACK OF 100	
	Z 2 54T5HO MVOLT GEB10PS	*146AYV	745975499304	Z SERIES LOW PROFILE STRIP, TWO LAMPS, 54W T5HO (46"), 120V-277V, BALLAST FACTOR 1.0, SET LIGHT	
	ZL1D L48 3000LM FST MVOLT 35K 80CRI WH	*254FUV	190887799316	ZL1 WITH DROP LENS, 48" LONG, 3,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 3500K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	ZL1D L48 3000LM FST MVOLT 40K 80CRI WH	*254G1A	190887800821	ZL1 WITH DROP LENS, 48" LONG, 3,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	ZL1D L48 5000LM FST MVOLT 35K 80CRI WH	*2560GM	193047794879	ZL1 WITH DROP LENS, 48" LONG, 5,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 3500K, 80CRI, WHITE FINISH	
	ZL1D L48 5000LM FST MVOLT 40K 80CRI WH	*254FUE	190887799187	ZL1 WITH DROP LENS, 48" LONG, 5,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	ZL1N L48 3000LM FST MVOLT 40K 80CRI WH	*253WX1	190887791969	Z SERIES LED STRIP LIGHT, 48" LONG, 3,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	ZL1N L48 5000LM FST MVOLT 35K 80CRI WH	*253WJ6	190887789041	Z SERIES LED STRIP LIGHT, 48" LONG, 5,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 3500K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	ZL1N L48 5000LM FST MVOLT 40K 80CRI WH	*253WJ4	190887789027	Z SERIES LED STRIP LIGHT, 48" LONG, 5,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	ZL1N L48 7000LM FST MVOLT 40K 80CRI WH	*253WXW	190887792201	Z SERIES LED STRIP LIGHT, 48" LONG, 7,000 NOMINAL LUMENS, FROSTED, DIFFUSE, 120V-277V, 4000K, 80 COLOR RENDERING INDEX, WHITE FINISH	
	ZLR L48 SYM WH	*259LUL	191723085877	REFLECTOR FOR ZL, 48" LONG, SYMMETRIC DISTRIBUTION, WHITE FINISH	



Lithonia Lighting® Vapour Tights					
Product	Part Number	CI Code	UPC	Description	Contractor Select
	CSVT L48 ALO3 MVOLT SWW3 80CRI	*270N96	194995069507	CONTRACTOR SELECT LED VAPOUR TIGHT, 48", SWITCHABLE LUMENS - 3000LM, 4000LM AND 5000LM, 120V-277V, SWITCHABLE WHITE - 35K, 40K, AND 50K, 80CRI	

Lithonia Lighting® Life Safety

Product	Part Number	CI Code	UPC	Description	Contractor Select
	AFF OEL DDBTXD UVOLT LTP SDRT FCT CW	*265PE5	193047987103	AFFINITY, NORMALLY OFF WITH INTERNAL BATTERY, DARK BRONZE TEXTURED, 120-347VAC, LITHIUM IRON PHOSPHATE, SELF-DIAGNOSTIC & REMOTE TEST, FIELD CONFIGURABLE THROW, COLD WEATHER	
	ELM2L 120/347 M12	*270HN4	194995031191	ELM2L, DUAL VOLTAGE, MASTER PACK OF 12	
	ELM2L UVOLT LTP M12	*264C82	191848078112	ELM2L, 120-347VAC, LITHIUM IRON PHOSPHATE, MASTER PACK OF 12	
	ELM2L UVOLT LTP SDRT M12	*264E6P	191848091883	ELM2L, 120-347VAC, LITHIUM IRON PHOSPHATE, SELF-DIAGNOSTIC & REMOTE TEST, MASTER PACK OF 12	
	ELM4L UVOLT LTP	*2559TX	193047724456	ELM4L, 120-347VAC, LITHIUM IRON PHOSPHATE	
	ELM4L UVOLT LTP SDRT	*264V0Y	191848281154	ELM4L, 120-347VAC, LITHIUM IRON PHOSPHATE, SELF-DIAGNOSTIC & REMOTE TEST	
	ELM6L UVOLT LTP SDRT	*263LTE	191723916454	ELM6L, 120-347VAC, LITHIUM IRON PHOSPHATE, SELF-DIAGNOSTIC & REMOTE TEST	
	ELMRE LP220L T M12	*254KE8	193047558938	LED THERMOPLASTIC EMERGENCY REMOTE HEAD, SINGLE/TWIN/FIXED, 110 LUMEN, 1.2 WATT, LINEAR PATTERN, TWIN LAMP HEADS, MASTER PACK OF 12	
	ELMRW LP220L DDBTXD SGL	*266AC8	194994005353	ELMRW, 110 LUMEN, 1.2 WATT, LINEAR PATTERN, DARK BRONZE TEXTURED, SINGLE HEAD	
	ELMRW LP220L DDBTXD T	*266AEG	194994005681	ELMRW, 110 LUMEN, 1.2 WATT, LINEAR PATTERN, DARK BRONZE TEXTURED, TWIN LAMP HEADS	
	ELMRW SP640L DDBTXD SGL	*266AFJ	194994005995	ELMRW, 320 LUMEN, 3.3 WATT, SPOT PATTERN, DARK BRONZE TEXTURED, SINGLE HEAD	
	ELMRW SP640L DDBTXD T	*266AFW	194994006107	ELMRW, 320 LUMEN, 3.3 WATT, SPOT PATTERN, DARK BRONZE TEXTURED, TWIN LAMP HEADS	
	ERE GY SGL WP SQ M12	*263X5A	191848036785	REMOTE, GREY, SINGLE HEAD, WEATHER PROOF, SQUARE, MASTER PACK OF 12	
	ERE GY T WP SQ M12	*263X5E	191848036815	REMOTE, GREY, TWIN LAMP HEADS, WEATHER PROOF, SQUARE, MASTER PACK OF 12	
	EU2C 120/347 M6	*267WTC	194994399094	LED, TWO-HEADED EMERGENCY UNIT, CALIFORNIA CERTIFIED, DUAL VOLTAGE, MASTER PACK OF 6	
	PS1055CP FMC M9	*263T1R	191723976830	10W CONSTANT POWER, REDUCED PROFILE BATTERY PACK, FLEXIBLE METAL CONDUIT, MASTER PACK OF 9	



Expanding the boundaries of lighting™

One Lithonia Way, Conyers, Georgia 30012 | Phone: 800.922.9641
©2021 Acuity Brands Lighting, Inc. All rights reserved. | AB_560269_0421

ACULUX®

AEL American
Electric
Lighting

a·light

ANTIQUE
STREET LAMPS

ATRIUS®

cyclone

DG
LOGIK

DISTECH
CONTROLS™

DTL
Dark to Light

eldoLED®

EUREKA

gotham®

HEALTHCARE
LIGHTING®

HOLOPHANE

HYDREL®

indy

IOTA

juno®

LITHONIA
LIGHTING

luminaire led

LUMINIS

MARK
ARCHITECTURAL
LIGHTING

hLIGHT

Peerless®

RELOC
WIRING SOLUTIONS

ROAM

senso·switch

SUNOPTICS

WINONA®